

PARTNER IN
THE CONSTANT
IMPROVEMENT OF
YOUR PRODUCTIVITY.

Maintenance

We support you in keeping your equipment operating efficiently, preventing breakdowns and optimizing its lifespan.

Thanks to planned interventions, rapid repairs and advanced technologies, we minimize downtime and maximize productivity.

Engineering, services and projects (ESP)

We offer a variety of solutions tailored to your operational needs to maximize your productivity.



Personal safety


Take a look at our full range of solutions to ensure the safety and well-being of your employees in the workplace.


Summer offer

Special offers to accompany you through the summer heat.

Pages 12 to 22

MAINTENANCE SELECTION / SUMMER 2025 MAINTENANCE SELECTION / SUMMER 2025





Classical - A, B, C, 3L Narrow Wedge - 3V, 5V, 8V

- Standard application
- Temperature range: -40 to +70°C

Cogged Raw Edge Narrow - 3VX, 5VX Cogged - AX, BX

- Heavy-duty applications
- EPDM reinforcement offers the best quality available on the market.
- Resistance to low and high temperatures: -40°C / +130°C.
- Tooth profile: optimized for long wear-free service life.
- Extreme flexibility, ideal for high speed and small pulleys.
- +50% grip compared to standard belts.



MULTI110CA

EP2 multipurpose water-resistant grease MULTI 110

400G cartridge Alternative to lithium-based greases. Withstands wet environment and water washout. Outstanding extreme pressure resistance.



SCA200CA

Extreme pressure calcium sulfonate grease - SCA 200

400G cartridge
High tech grease suitable for the lubrication of
mechanical parts working under high loads
and in humid surroundings.



GRPTFEALA2

PTFE white grease - GR PTFE AL

\$2495

650 ml / 22oz aerosol Clean lubrication. Good resistance to water and dust. Infusible (does not leak). Long-term lubrication. Flat nozzle spray together with extension tube for hard-to-reach areas. Registered by NSF International, category H1. Authorized in incidental contact with food. (N° 163619).



VGCUT77A2

Drilling and tapping Ecofriendly waterbased lubricant -VG CUT 77

650 ml / 22oz aerosol Ready-to-use aqueous fluid without V.O.C. non-flammable, V.O.C free Vegetable polymer-based. Odourless. No smoke emissions. Compatible with all types of metal, including copper and its alloys. Easy to degrease.



TOP5A2

Multi-function lubricating - penetrating oil-TOP 5

650 ml / 22oz aerosol
Lubricant. Penetrating oil. Corrosion
protection. Water repellent. Deoxidant.
Compatible with most rubbers and plastics.
Does not attack paint.



TOPTENA2

Lubricant Multifunctional degreaser - TOP TEN

Aerosol 650 ml / 22oz
Penetrates rapidly into the smallest
porosities of metal. Degreases mechanisms already
seriously corroded. Lubricates small
mechanisms. Eliminates water: water repellent
effect.Protects against oxidation and repels moisture
electrical and electronic circuits



GALVASUNA2

Glossy cold galvanising agent GALVASUN

Aerosol 650 ml / 22oz Aluminium-based for the long-term protection of all metals. Good resistance at aggressive temperatures. Temperature resistance: 400°C. Drying time for handling: 1 hour.



3790A

Marine grease

650 ml / 22oz aerosol
Totally insoluble in cold, hot or sea
water as well as in steam these properties
enable to use it for lubrication of immerged or
under severe water spray working equipment's.
Highly adhesive and stringy.





Hardened Case Pliable Core

Case-Carburized Steel

Premium material with increased surface hardness and pliable core increasing life by 40% while providing superior crack resistance



Superior Quality

Made in USA and Japan featuring crowned rollers, superfinished rollers and raceways



Comprehensive Product Coverage

Available in ISO (metric), Inch, and J-metric series with sizes ranging from 15 mm bore to 2,180 mm 0.D.



Trusted for Over a Century

A design leader to the world's largest OEMs and end users, NTN supplies 2/3 of the world's Fortune 500 manufacturers




MAINTENANCE SELECTION / SUMMER 2025 MAINTENANCE SELECTION / SUMMER 2025



WORKING WITH YOU TO MAXIMIZE RELIABILITY AND PRODUCTIVITY.

ProService® is a unique technical services offering designed to optimize the lifecycle of your equipment. Through a proactive approach, our team of experts helps you improve reliability, reduce costs, ensure long-term performance, and train your teams.

With Tsubaki, benefit from a true technical partnership to boost your productivity.



SKF

SIMPLE AND POWERFUL CONDITION MONITORING







SKF Axios

Cost effective, fully automated, on-line wireless technology for vibration and temperature monitoring. SKF Axios is easy to set up and offers machine health data at your fingertips.

Discover more: skf.li/axEN

SKF QuickCollect sensor

A powerful and portable handheld sensor. Connects via Bluetooth to phones and tablets. This rugged device is packed with advanced features and provides instant feedback from vibration and temperature measurements.

Discover more: skf.li/qcEN

GoPlant from SKF

Boost productivity and enhance operator rounds with this digital, scalable platform. Asset data, tasks, checklists and more, all in one place. Ideal for facility maintenance, operations, and safety teams.

Discover more: skf.li/gpEN

skt.com/us

[®] SKF is a registered trademark of AB SKF (publ). © SKF Group 2025. All rights reserved.



MAINTENANCE SELECTION / SUMMER 2025

bulk transportation, the forestry industry, and more. Performance,

durability, and optimal adaptation for every application.





OUR HYDRAULIC EXPERTISE AT YOUR SERVICE

Complete and customized solutions to improve the efficiency and reliability of your industrial processes.

Since 2011, our hydraulic expertise has met the highest standards across diverse sectors such as mining, forestry, aggregates, and manufacturing. We offer custom solutions, supported by comprehensive assistance ranging from field diagnostics to operational implementation.

Our hydraulic solutions

- Automation & control panels
- Cooling systems
- Filtration
- Hydraulic component design
- Hydraulic power units
- Hvdraulic test stands
- Lubrication units
- Manifold blocks
- Pneumatic control panels
- Portable filtration units

Performance, **Reliability, Profitability**

Strong partnerships with leading brands to guarantee optimum quality and constant reliability of our installations

AVENTICS




















Trust our experts with your hydraulic projects for effective and lasting results.



MAINTENANCE SELECTION / SUMMER 2025

P702LZX

Cut-resistant glove KYOSAFE XP 721N



Sharp handling in dry, oily or damp environments. Seamless 18 gauge knitted glove in black KYORENE® fibre. Highly flexible foam. Nitrile coating on palm.

Code	Size	Code	Size
P702LZX-S6	6/XS	P702LZX-S9	9/L
P702LZX-S7	7/S	P702LZX-S10	10/XL
P702LZX-S8	8/M	P702LZX-S11	11/2XL





OPSIAL

P708KFA **Cut-resistant glove HANDSAFE XP 971**



Sharp handling in dry, oily or damp environments. 15 gauge, maximum cut resistance: ANSI A6. Excellent abrasion and tear resistance.

Code	Size	Code	Size
P708KFA-S6	6/XS	P708KFA-S9	9/L
P708KFA-S7	7/S	P708KFA-S10	10/XL
P708KFA-S8	8/M	P708KFA-S11	11/2XL



OPSIAL

P70JGVD

Welding glove TORO

Glove designed to protect welders. Highly resists abrasion and wear.

Code	Size	Code	Size
P70JGVD-S7	7/S	P70JGVD-S9	10/XL
P70JGVD-S8	8/M	P70JGVD-S10	11/2XL
P70JGVD-S9	9/L		






HANDGRIP PLUS glove

P702LG4

Light handling and precision handling in greasy or damp environments. 13 gauge.

Code	Size	Code	Size
P702LG4-S6	XS	P702LG4-S9	L
P702LG4-S7	S	P702LG4-S10	XL
P7021 G4-S8	М	P702I G4-S11	XXI







CrocPac SPF30 Sunscreen



Individual 10ml sachet. 50/box.

1240500

CrocBloc Insect Repellent Towelette



6-hr protection, 30% DEET. 50/box.



DEGIL

BAKERIN / BAKERFU

BAKER Glasses



CSA Z94.3-20. Clear or smoke

NP267HPF210 / NP267HPF510C

Disposable earplugs



200/box. Orange

100/box. T-form. Orange.

CR8002/CR8003/CR8004

First aid kit

More than 2 people OR low to moderate risk OR more than 30 minutes from a medical center - TYPE 2 BASIC

Medium - Plastic case 1 to 25 workers CR8002: \$41.98

Large - Plastic case 26 to 50 workers CR8003: \$52.50

Large - Metal case 51 workers and + CR8004: \$ 97.95







MAINTENANCE SELECTION / SUMMER 2025 MAINTENANCE SELECTION / SUMMER 2025 12 13



SSSFTRCA / SSSFBLCA / SSSFORCA / SSSFBBCA

THORZT® - Hydration drink mix

\$4125



Hydration + muscle recovery. Tropical / Blue Lemonade Orange / Berry Radiance 50/box.



TERRA

PIP

\$**55**65

Hi-Vis Cooling Vest

Immerse in cold water for immediate effect CSA-Z96 - Class 2 - Level 2 (Orange) ANSI/ISEA 107 - Type R - Class 2 (Orange) Size: medium, large & XL.



HP396700FR-OR

FR Treated Hi-Vis Hard Hat Neck Shade

\$895

Orange. Elastic to fit most helmets.



HP396E900NV

EZ-Cool® Max - Evaporative Cooling Towel

\$**13**95

Navy. Immerse in cold water for immediate effects.



Ultra Cooling Headband Pioneer 247

\$**5**95

Blue. Cotton.



V1080150

Waterproof Lightweight Safety Rain Suit

\$**49**95

Orange. High-quality 100% waterproof polyester/PVC. ANSI/ISEA 107-2020 Class 1 Type O regulations, CSA Z96-15 Class 1 Level 2 standards.





MAINTENANCE SELECTION / SUMMER 2025

CROMSON CR7002 **Extendable LED flashlight** with magnet Black, 4 LR44 batteries included

CR9130 / CR9131

Natural Nylon cable ties

Tensile strength: 50 lb Length: 14.25" Width: 0.180" Thickness: 0.52"

Quantity: 100 per bag.

Wide variety of sizes available.

CROMSON



Front footrest on the blade providing a leverage effect.



CCROMSON

CR7400

CR2900

Super 8 plus Screwdriver PICQUIC

steel shaft to be used as 1/4" or 5/16" nut driver. Comes with 7 hex bits and 2 nut drivers.

Removable and reversible stainless

LPF0001

Lion ProFoam foam

\$8.99 with the purchase of a case of 12.

Polyurethane foam. Doors and windows. Application temperature: minimum 5°C.

16



CROMSON

Round-point Shovel

Front footrest on the blade providing a leverage effect.



CCROMSON

CR7403

Aluminium grain scoop #8 Shovel

CROMSON Lightweight and durable aluminum blade.

541517USCAN

Yellow construction marker

Acrylic. Available in various colors.



2908-22DE

M18 FUEL™ 5/8" SDS Plus Rotary Hammer w/ **Dust Extractor Kit**




Hammer (2908-20), Dedicated Dust Extractor (2908-DE),



48-11-1861 + 48-11-1850


M18 Lithium-Ion REDLITHIUM FORGE 6.0 Ah Battery





Promotion valid from July 1 to 31, 2025.

M18™ REDLITHIUM™ FORGE™



2837-20 M18 FUEL^{MC} rotary hammer

2883-20 M18 FUEL^{MC} 4 1/2 - 5" brake grinder

2821-20 M18 FUEL^{MC} SAWZALL® reciprocating saw

XC8.0 Starter Kit

charges batteries up to 40% faster.





2880-20 M18 FUEL^{MC} 4-1/2" / 5" brake grinder (non-locking paddle switch)

2882-20 M18 FUEL^{MC} 4 1/2 - 5" brake grinder 2833-20 M18 FUEL^{MC} 6 1/2" circular saw

Promotion valid from July 1 to 31, 2025.

MAINTENANCE SELECTION / SUMMER 2025 MAINTENANCE SELECTION / SUMMER 2025 17







Square-point Shovel

All purpose Shovel















2908-20







RAPIDSTOP™ blade brake and rebound control.



MXF270-2HD





2HD), battery pack (MXFHD812), Supercharger(MXFSC)











CROMSON

Includes: Plus Rotary Side Handle, Depth Rod.









Roll Groover

2927-22

For 1-1/4" - 4" Sch 10/40, 6" Sch 10 Includes: Roller Groover (2927-20), M18 Battery (48-11-1881), M18^{MC} and M12^{MC} Quick Charger (48-59-1808)

M18 FUEL™ RINGER™

























48-59-1881 + choice of tool

The M18™ & M12™ rapid charger





• FICODIS











Exceptional prices in store

CR4001

Set of 30 bits + bits holder

TORX bits (T): 8, 9, 10, 15, 20, 25, 27, 30, 40 / PHILLIPS bits (PH): 1, 2, 3 / POZIDRIV bits (PZ): 1, 2, 3 / HEXAGONAL bits (HEX): 2, 3, 4, 5, 6, 7, 8 / SQUARE bits (SQ): 1, 2, 3. Standards: ISO 1173/2351 - 3/2351-3, DIN 3126/3127-1

CROMSON

V32-1TP-SET

Driver Bit



VEGA Set of 32 Tamper-Proof

Phillips Tamper Bits: #2, #3 / Torx[®] Tamper Bits: 5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40 / Hex Tamper Bits: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" / Spanner Bits: 4, 6, 8, 10, 12, 14

30A150 / 30A153

5" angle grinder



WALTER

QUICK-R release. Lockable switch. Exclusive safety clutch and adjustable guard. Enhanced DUSTGUARD. New anti-vibration handle.

39D250

ICECUT 250 magnetic drilling unit

Light and powerful 2 1/2". Max. diameter. 15 Amp.



WALTER


39D050

Low profile magnetic drilling unit ICECUT MINI

2" max. diameter. 10.5 Amp.









NORTON

69957399638 / 639 / 640 / 644

Merit Alo Quick Change Discs Type 2

2" diam. Grit of 36, 40, 50 & 120. 100/box.



NORTON

RazorStar **Quick-change Disc**

Ceramique. 25/box.



Code	Ref.	Diam.	RPM max	Grit
66254427834	TS Type 2	2"	30000	36
66254427835	TR Type 3	2"	10000	36

08834164198

Back-up pad quick-change

Diametre: 2" RPM MAX: 30 000.



NORTON

Fiber Disc back-up pad

Code	Diam.	RPM max	Price
63642502122	4-1/2" x 5/8-11"	11000	\$30.82
63642543421	5" x 5/8-11"	1000	\$37.73
66261160043	6" x 5/8-11"	30000	\$ 38.17
63642543422	7"x 5/8-11"	8600	\$ 56.19



RazorStar fiber disc

7/8" Abrasive arbor. 25/box.



Code	Diam.	RPM max	Grit	Price
66254427990	4-1/2"	11000	36	\$ 4.75
66254427991	5"	10000	36	\$ 4.80
66254438198	6"	8600	36	\$ 5.57
66254427992	7''	8600	36	\$ 5.71

NORTON

Bear-Tex® Rapid **Prep Discs -Quick Change**



Diametre: 2". Aluminum Oxide, Non Woven

Code	Ref.	Grit	Price
66261009190	TR type 2	Very fine	\$1.04
66623340077	TR type 2	Fine	\$1.04
66261009189	TR type 2	Medium	\$1.04
66261009191	TR type 2	Coarse	\$1.14
66261016373	TR type 2	Extra Coarse	\$1.14
66261009182	TS Type 2	Very fine	\$1.04
66623340074	TS Type 2	Fine	\$1.04
66254482337	TS Type 2	Medium	\$1.04
66261009183	TS Type 2	Coarse	\$1.14
66261017819	TS Type 2	Extra Coarse	\$ 1.14
66261170271	TR type 3	Medium	\$3.45
66261170285	TR type 3	Coarse	\$3.45

NORTON

63642543463

Retainer nut for back-up pads

Size #103. Designed for medium to heavy grinding applications.

MAINTENANCE SELECTION / SUMMER 2025

DS0200TR

TR Type Disc holder

Standards: ANSI B7.1.



CROMSON

Right-Angle Die Grinder

2" diam. 0.45 hp, 90 psi. 22,000 RPM Max.

8834164922

66261150076



CD29P

29pc HSS Borado drill set

Mechanical length. Material: HSS High-speed steel. Black and gold finish. Point: 135°. Shank type: 3-flat.





POLYURETHANE FOAM PROFOAM līon & lion **DOORS & WINDOWS ALL SEASONS** lion

ABRASIVES PROMO CICROMSON

ALPHA CUT

ALPHA CUT Type 1 Cutting Wheels

Aluminum oxide Standard: ANSI B7.1 Fiberglass reinforcement

Code	Size	RPM max	Box Qty	Reg.	Price
MT145045	4-1/2 x .045 x 7/8"	13580	25	\$3.70	\$2.70
MT150045	5 x .045 x 7/8"	12225	25	\$3.95	\$2.90
MT160045	6 x .045 x 7/8"	10185	10	\$4.35	\$3.25

ALPHA TRIM

ALPHA TRIM Type 27 Grinding Wheel

Oxyde d'aluminium, Standards: ANSI B7.1

Code	Size	RPM max	Box Qty	Reg.	Price
MR274514	4-1/2 x 1/4 x 7/8"	13580	25	\$5.15	\$3.85
MR275014	5 x 1/4 x 7/8"	12225	25	\$6.95	\$5.10
MR276014	6 x 1/4 x 7/8"	10185	10	\$8.30	\$7.05



Of the same model or a combination of items of equal or lesser value. Offers cannot be combined.

DELTA FLEX II

DELTA FLEX II Type 27 Flap Disc

Aluminum oxide, zirconium and Ceramic, Standard: ANSI B7.1



Code	Size	RPM max	Grit	Box Qty	Rég.	Prix
DL452040	4-1/2 x 7/8"	13300	40	10	\$9.90	\$7.25
DL452060	4-1/2 x 7/8"	13300	60	10	\$11.30	\$8.25
DL452080	4-1/2 x 7/8"	13300	80	10	\$11.30	\$8.25
DL502040	5 x 7/8"	12000	40	10	\$11.25	\$8.25
DL502060	5 x 7/8"	12000	60	10	\$12.85	\$9.25
DL502080	5 x 7/8"	12000	80	10	\$10.71	\$9.25
DL602040	6 x 7/8"	10200	40	10	\$12.22	\$11.25
DL602060	6 x 7/8"	10200	60	10	\$12.22	\$11.25
DL602080	6 x 7/8"	10200	80	10	\$12.22	\$11.25

DELTA CARB

DELTA CARB Type 27 stripping discs



Aluminum oxide, zirconium and ceramic. Standards: ANSI B7.1.

Code	Size	RPM max	Box Qty	Reg.	Price
MD455811	4-1/2 x 5/8-11"	12000	10	\$22.18	\$20.50
MD505811	5 x 5/8-11"	11000	10	\$24.99	\$23.95


MAINTENANCE SELECTION / SUMMER 2025 MAINTENANCE SELECTION / SUMMER 2025 23 INNOVATION

OPSIAL

CUT-RESISTANT GLOVES



THE STRENGTH OF PROTECTION THE POWER OF PRECISION









TOUCHSCREEN*
Touchscreen compatibility
*certain models



ABRASION AND TEARING Superior resistance, improved longevity